

# Eaton 122002-35A

Catalog Number: 122002-35A

122002-35A - INSTALLATION 2.000-14 SPLINE ECA

## General specifications

Product Name	Catalog Number
Eaton ECA-15.5 INCH Clutch	122002-35A
Model Code	UPC
ECA15	840379301434
Product Length/Depth	Product Height
17 in	7.25 in
Product Width	Product Diameter
17 in	17 in
Product Weight	Certifications
141 lb	Not Applicable



## Product specifications

### Pre-Damper

No

### Clutch Size

15.5 in

### Torque rating

1850 ft lb

### Input shaft size

2.00"-14

### Torsional Spring Rate

256 ft lb/deg

### Number of Discs

2 EA

### Transmission Type

Automated

### Damper Spring Count

7 EA

### Friction pad count

6 EA

### Facing Material

Ceramic

### Portfolio rating

Best

### Hydraulic Linkage

No

### Vehicle classification group

Heavy Duty

## Resources

### Brochures

DM and ECA clutches for Eaton's automated transmissions (CLSL1010)

Eaton heavy duty commercial vehicle aftermarket catalog (APSL0220)

### Cross references

Eaton clutch part number supersession cross reference (C100S)

Eaton Clutch Torque/Horsepower Equivalents by Engine OEM (CLFD1300)

### Installation instructions

Eaton Heavy-Duty 15.5 Adjustment-Free Clutch CLMT1400

### Manuals and user guides

Unit Exchange Program Guide APSL0419

### Specifications and datasheets

skuPage.122002-35A

### Technical service bulletins

Non-Conforming ECA Clutch Inventory (CLIB0034)

HD UltraShift Clutch Broken Pressure Plate Ears (CLIB-0010)

Eaton heavy-duty clutch selector chart (CLSL1511)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)