


# LED Marine Navigation Lights - Model 450

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED Port (Red) Marine Signal Light
<b>Height</b>	33.02 mm / 1.3 in
<b>Width</b>	198.12 mm / 7.8 in
<b>Depth</b>	43.18 mm / 1.7 in
<b>Shape</b>	Stylized
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	White
<b>Mounting Type</b>	Low Profile Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	12" Bare Leads
<b>Product Weight</b>	0.24 lbs / 0.11 kgs
<b>Shipping Weight</b>	3.71 lbs / 1.68 kgs



## PRODUCT DIMENSIONS



Print date: 2024-08-11

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Marine Navigation Lights - Model 450

## ELECTRICAL SPECIFICATIONS

---

<b>Input Voltage</b>	12-24V DC
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	0.21A @ 12V DC 0.10A @ 24V DC

## REGULATORY STANDARDS COMPLIANCE

---



ABYC A-16  
Eco Friendly  
USCG COLREGS Part C

Buy America Standards  
IEC IP67


## PHOTOMETRIC SPECIFICATIONS

---

**Nominal LED Color Temperature** 5000 K

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠️ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠️ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Print date: 2024-08-11**

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Marine Navigation Lights - Model 450

## RELATED PRODUCTS

---



**Part Number**  
**0230691**

12-24V LED Starboard  
(Green) Marine Signal  
Light

**Part Number**  
**0230701**

12-24V LED Stern  
(White) Marine Signal  
Light