### **PRODUCT INFORMATION**


12V LED Work Light Pattern & DT04-2P
137.16 mm / 5.4 in
144.02 mm / 5.67 ii
56.90 mm / 2.24 in
Oval
Polycarbonate
Clear
Polycarbonate
Black
(x1) 5/16"-18 x 1.2!
Universal Pedestal
-40 °C / -40 °F
65 °C / 149 °F
Integrated 2-Pin De Socket (DT04-2P)
2-Pin Deutsch Weat (DT06-2S)
0.86 lbs / 0.39 kgs
15.00 lbs / 6.8 kgs

12V LED Work Light with Flood Beam Pattern & DT04-2P Connector 137.16 mm / 5.4 in 144.02 mm / 5.67 in 56.90 mm / 2.24 in Oval Polycarbonate Clear Polycarbonate Black (x1) 5/16"-18 x 1.25" Mounting Bolt Universal Pedestal Mount -40 °C / -40 °F 65 °C / 149 °F Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) 2-Pin Deutsch Weather-Proof Plug (DT06-2S) 0.86 lbs / 0.39 kgs





## **PRODUCT DIMENSIONS**



### **ELECTRICAL SPECIFICATIONS**

Input Voltage	12V DC
Operating Voltage	10-15V DC
<b>Transient Spike Protection</b>	330V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	1A @ 12V DC

### **REGULATORY STANDARDS COMPLIANCE**



Buy America Standards CISPR 22 IEC IP67 Tested to ECE Reg. 10 (Radiated Emissions only)



Eco Friendly SAE J1113-13

Print date: 2024-08-11 © 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



#### PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output Effective Lumen Output Nominal LED Color Temperature Beam Pattern(s)	900 700 5000 K Forward Lighting - Flood (Standard)	Flood Beam (2.5m high at -15°)   30m 10+ Lux 15m   1 Lux 0m 15m   0.25 Lux 15m   30m 25m 50m
Agriculture Const	truction Industrial	Mining Off-Road 4x4

#### **PRODUCT WARNINGS**

For California residents:

- **WARNING:** Cancer and reproductive harm <u>www.P65Warnings.ca.gov</u>.
- AVERTISSEMENT: Cancer et effet nocif sur la reproduction www.P65Warnings.ca.gov.



#### **ACCESSORIES**





Part Number 8200011 Magnet Mount Kit for XD Series Work Lights

**Part Number** 8200101 Stainless Steel Mounting Kit for Work Lights & Marine Lights



**Part Number** 8200491 Mounting Kit For Work Lights

## **RELATED PRODUCTS**



Part Number 1706051 12V LED Work Light with Trapezoid Beam Pattern & DT04-2P Connector



Part Number 1706241 with Flood Beam Pattern & DT04-2P Connector



Part Number 1706251 with Trapezoid Beam Pattern & DT04-2P

Connector



Part Number 1706261 with Spot Beam Pattern & DT04-2P

Connector



Part Number 1706461 12-48V LED Work Light 12-48V LED Work Light 12-48V LED Work Light 12-48V LED Work Light with Flood Beam Pattern & PE12015792 Connector

