



THE DRIVELINE EXPERTS

Companion Flange

Standard Flange

Large Flange

Flange Adapter

SECTION




1




**Manufacturing Driveline Solutions®
in the USA Since 1921.**

NeapcoAftermarket.com

©Neapco LLC 2023

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


STANDARD FLANGE



DL Series	A Bore Dia.	Bore Dia. (max)	B Keyway	Keyway (max)	C Pilot Dia.	D Bolt Circle	E Hole/Thread Size	Holes/Bolts	F Set Screw Hole Size	G Overall Length	H Outside Dia.	Part Number
1000 Series (Mating Flange Yoke 10-0229)												
1000	1.125	***	0.250	***	2.250	2.750	0.328	4	3/8-16	2.125	3.500	N10-1-1022-2
1000	1.250	***	0.312	***	2.250	2.750	0.328	4	3/8-16	2.125	3.500	N1-1-273
1310 Series (Mating Flange Yoke N2-2-329: use bolt kit N131F)												
1310	0.750	1.688	***	0.375	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313
1310	1.000	***	0.250	0.253	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-1
1310	1.125	***	0.250	0.253	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-2
1310	1.250	***	0.250	0.253	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-3
1310	1.250	***	0.312	0.315	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-4
1310	1.375	***	0.312	0.315	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-5
1310	1.375	***	0.375	0.378	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-6
1310	1.438	***	0.375	0.378	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-7
1310	1.500	***	0.375	0.378	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-8
1310	1.625	***	0.375	0.378	2.375	3.125	0.391	4	3/8-16	2.000	3.875	N2-1-1313-9
1350-1410 Series (Mating Flange Yoke 1350: N3-2-119 1410: N3-2-159: use bolt kit N135F)												
1350-1410	1.000	7.875	***	0.500	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013
1350-1410	1.000	***	0.250	0.253	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-1
1350-1410	1.125	***	0.250	0.253	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-2
1350-1410	1.250	***	0.250	0.253	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-3
1350-1410	1.250	***	0.312	0.315	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-4
1350-1410	1.375	***	0.312	0.315	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-5
1350-1410	1.375	***	0.375	0.378	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-6
1350-1410	1.438	***	0.375	0.378	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-7
1350-1410	1.500	***	0.375	0.378	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-8
1350-1410	1.625	***	0.375	0.378	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-9
1350-1410	1.750	***	0.375	0.378	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-10
1350-1410	1.875	***	0.375	0.378	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-11
1350-1410	1.875	***	0.500	0.503	2.750	3.750	0.454	4	3/8-16	2.000	4.562	N3-1-1013-12


COMPANION FLANGE

STANDARD FLANGE (Cont'd)



DL Series	A Bore Dia.	Bore Dia. (max)	B Keyway	Keyway (max)	C Pilot Dia.	D Bolt Circle	E Hole/Thread Size	Holes/Bolts	F Set Screw Hole Size	G Overall Length	H Outside Dia.	Part Number
1480-1550 Series (Mating Flange Yoke 1480: N3-2-479 1550 : N4-2-669: use bolt kit N148F)												
1480-1550	1.250	2.438	***	***	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133
1480-1550	1.500	***	0.375	***	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-1
1480-1550	1.625	***	0.375	0.378	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-2
1480-1550	1.750	***	0.375	0.378	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-3
1480-1550	1.875	***	0.375	0.378	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-4
1480-1550	1.875	***	0.500	0.503	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-5
1480-1550	2.000	***	0.500	0.503	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-6
1480-1550	2.125	***	0.500	0.503	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-7
1480-1550	2.250	***	0.500	0.503	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-13
1480-1550	2.250	***	0.625	0.628	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-8
1480-1550	2.375	***	0.625	0.628	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-9
1480-1550	2.438	***	0.625	0.628	3.750	4.750	0.516	4	1/2-13	2.500	5.875	N4-1-1133-10
1610 Series (Mating Flange Yoke N5-2-279: use bolt kit N161F)												
1610	1.250	3.000	***	0.750	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873
1610	2.000	***	0.500	0.503	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-1
1610	2.250	***	0.625	0.628	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-3
1610	2.375	***	0.625	0.628	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-4
1610	2.438	***	0.625	0.628	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-5
1610	2.500	***	0.625	0.628	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-6
1610	2.750	***	0.625	0.628	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-7
1610	2.938	***	0.750	0.753	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-8
1610	3.000	***	0.750	0.753	6.625	6.125	0.391	8	1/2-13	3.500	6.875	N5-1-873-9


STANDARD FLANGE (Cont'd)



DL Series	A Bore Dia.	Bore Dia. (max)	B Keyway	Keyway (max)	C Pilot Dia.	D Bolt Circle	E Hole/Thread Size	Holes/Bolts	F Set Screw Hole Size	G Overall Length	H Outside Dia.	Part Number
1710 Series (Mating Flange Yoke N6-2-749)												
1710	1.250	4.000	***	1.000	7.750	7.250	0.391	8	***	4.000	8.000	N6-1-1253
1710	2.000	***	0.500	0.503	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-9
1710	2.125	***	0.500	0.503	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-10
1710	2.250	***	0.625	0.628	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-11
1710	2.375	***	0.625	0.628	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-12
1710	2.438	***	0.625	0.628	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-1
1710	2.500	***	0.625	0.628	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-2
1710	2.750	***	0.625	0.628	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-3
1710	2.938	***	0.750	0.753	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-4
1710	3.000	***	0.750	0.753	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-5
1710	3.500	***	0.875	0.878	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-6
1710	3.938	***	1.000	1.003	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-7
1710	4.000	***	1.000	1.003	7.750	7.250	0.391	8	1/2-13	4.000	8.000	N6-1-1253-8
1810 Series (Mating Flange Yoke N6.5-2-329)												
1810	1.250	4.000	***	1.000	7.750	7.250	0.545	12	1/2-13	4.000	8.000	N6.5-1-533
1810	2.438	***	0.625	0.628	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-1
1810	2.500	***	0.625	0.628	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-2
1810	2.750	***	0.625	0.628	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-3
1810	2.938	***	0.750	0.753	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-4
1810	3.000	***	0.750	0.753	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-5
1810	3.500	***	0.875	0.878	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-6
1810	3.938	***	1.000	1.003	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-7
1810	4.000	***	1.000	1.003	7.750	7.250	0.454	12	1/2-13	4.000	8.000	N6.5-1-533-8


COMPANION FLANGE

LARGE FLANGE



DL Series	A Bore Dia.	Bore Dia. (max)	B Keyway	Keyway (max)	C Pilot Dia.	D Bolt Circle	E Hole/Threa Size	Holes/Bolts	F Set Screw Hole Size	G Overall Length	H Outside Dia.	Part Number
1310 Series (Mating Flange Yoke N2-2-329)												
1310	1.375	2.375	***	0.625	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323
1310	1.750	***	0.375	0.378	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-1
1310	1.875	***	0.375	0.378	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-2
1310	1.875	***	0.500	0.503	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-3
1310	2.000	***	0.500	0.503	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-4
1310	2.125	***	0.500	0.503	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-5
1310	2.250	***	0.625	0.628	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-6
1310	2.250	***	0.500	0.503	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-8
1310	2.375	***	0.625	0.628	2.375	3.125	3/8-24	4	3/8-16	2.500	3.875	N2-1-1323-7
1350-1410 Series (Mating Flange Yoke 1350: N3-2-119 1410: N3-2-159)												
1350-1410	1.750	3.000	***	0.750	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023
1350-1410	2.000	***	0.500	0.503	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-1
1350-1410	2.125	***	0.500	0.503	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-2
1350-1410	2.250	***	0.500	0.503	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-10
1350-1410	2.250	***	0.625	0.628	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-3
1350-1410	2.375	***	0.625	0.628	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-4
1350-1410	2.438	***	0.625	0.628	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-5
1350-1410	2.500	***	0.625	0.628	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-6
1350-1410	2.751	***	0.625	0.628	2.750	3.750	7/16-20	4	3/8-16	3.000	4.562	N3-1-1023-7
1480-1550 Series (Mating Flange Yoke 1480: N3-2-479 1550 : N4-2-669)												
1480-1550	2.375	3.750	***	1.000	3.750	4.750	1/2-20	4	1/2-13	3.000	5.875	N4-1-1143
1480-1550	2.500	***	0.625	0.628	3.750	4.750	1/2-20	4	1/2-13	3.000	5.875	N4-1-1143-1
1480-1550	2.750	***	0.625	0.628	3.750	4.750	1/2-20	4	1/2-13	3.000	5.875	N4-1-1143-2
1480-1550	2.938	***	0.750	0.753	3.750	4.750	1/2-20	4	1/2-13	3.000	5.875	N4-1-1143-3
1480-1550	3.000	***	0.750	0.753	3.750	4.750	1/2-20	4	1/2-13	3.000	5.875	N4-1-1143-4
1480-1550	3.500	***	0.875	0.878	3.750	4.750	1/2-20	4	1/2-13	3.000	5.875	N4-1-1143-5


LARGE FLANGE (Cont'd)



DL Series	A Bore Dia.	Bore Dia. (max)	B Keyway	Keyway (max)	C Pilot Dia.	D Bolt Circle	E Hole/Threa Size	Holes/Bolts	F Set Screw Hole Size	G Overall Length	H Outside Dia.	Part Number
1610 Series (Mating Flange Yoke N5-2-279: use bolt kit N161F)												
1610	3.000	4.500	***	1.000	6.625	6.125	3/8-24	8	1/2-13	5.000	6.875	N5-1-883
1610	3.500	***	0.875	0.878	6.625	6.125	3/8-24	8	1/2-13	5.000	6.875	N5-1-883-1
1610	4.000	***	1.000	1.003	6.625	6.125	3/8-24	8	1/2-13	5.000	6.875	N5-1-883-3
1710 Series (Mating Flange Yoke N6-2-749)												
1710	3.500	5.500	***	1.250	7.750	7.250	3/8-24	8	1/2-13	6.000	8.000	N6-1-1263
1810 Series (Mating Flange Yoke N6.5-2-329)												
1810	3.500	5.500	***	1.250	7.750	7.250	7/16-20	12	1/2-13	6.000	8.000	N6.5-1-543

COMPANION FLANGE

FLANGE ADAPTER



DL Series	A Pilot Dia.	B Bolt Circle	C Hole/Thread Size	Holes/Bolts	D Flange Face To End	E Hub Dia.	Spline/ Number Teeth	Part Number
1350 Series (Mating Flange Yoke N3-2-119)								
1350	3.125-M	4.250	7/16-20	4	2.53	1.938	1.401-32	N3-1-JK05
1350	3.125-M	4.250	7/16-20	4	3.81	1.938	1.401-32	N3-1-JK07