



THE DRIVELINE EXPERTS

Slip Yoke

SUB SECTION

Transmission Flange Sleeve

Sleeve

PTO Sleeve

PTO Hex Bore - Inside Lock-Up

PTO Square Bore - Inside Lock-Up

PTO Rectangular Bore - Inside Lock-Up

PTO Round Bore - Inside Lock-Up

Splined Slip Yoke - Inside Lock-Up

Splined Slip Yoke - Outside Lock-Up

AND MUCH MORE!

**Manufacturing Driveline Solutions®
in the USA Since 1921.**


NeapcoAftermarket.com

SECTION

3




TRANSMISSION FLANGE SLEEVE




DL Series	A Pilot Dia.	Spline/Number Teeth	B Flange Face To End	C Hub Dia.	E Bolt Circle	F Hole/ Thread Size	Number Of Bolt Holes	Part Number
1310 Series								
1310	2.000-M	1.375-31/32	6.594	1.875	3.000	0.375	4	N2-23-9162X
1350 Series								
1350	3.125-M	1.375-31/32	5.656	1.891	4.250	7/16-20	4	N3-23-9168KX

SLEEVE




DL Series	Bore Type	A Butt Dia.	B End Of Spline To Weld	Spline/Number Teeth	Part Number
NPL170/SPL170 Series					
NPL170/SPL170	Round	4.351	8.000	3.465-32/34	N170-55-21-2X
NPL170/SPL170	Round	4.344	8.000	3.465-32/34	N170-55-51-1
N170 / N250 Series					
N170 / N250	Round	4.748	6.875	3.858-38	N250-55-31X

PTO SLEEVE




Bore Type	A Bore Size	B CL To End Of Hub	Hole/ Thread Size	C Overall Length	Tubing Diameter And Wall	D Sleeve Dia.	Spline/Number Teeth	Spline Type	Part Number
Rectangle / Round	0.751 x 0.876 / 0.877	***	***	4.000	1.625 X .065	1.630	***	***	53-0634
Rectangle / Round	0.751 x 0.876 / 0.877	***	***	4.000	1.500 X .065	***	***	***	53-0635
Rectangle / Round	1.00 x 1.130 / 1.130	***	***	5.000	2.000 X.083	2.000	***	***	53-1834
Round	1.000	2.500	1/4-28	5.000	2.000 X.083	2.130	1-15 with missing tooth	Involute	53-0374
Rectangle / Round	1.00 x 1.127 / 1.127	2.500	1/4-28	5.000	2.000 X.083	2.130	***	***	53-2034
Square	1.193	2.500	1/4-28	5.000	2.250 X .120	2.130	***	***	53-2434
Square	1.193	2.500	1/4-28	5.000	2.125 X .120	2.130	***	***	53-2435
Square	1.193	2.500	1/4-28	5.000	2.125 X .083	2.130	***	***	53-3500
Square	1.316	***	1/4-28	5.000	2.500 X .134	2.500	***	***	53-2643
Square	1.316	***	1/4-28	5.000	2.750 X .109	2.630	***	***	53-2644
Round	1.630	***	0.180	6.000	2.250 X .120	2.250	1.630-10	***	53-2415

PTO HEX BORE - INSIDE LOCK-UP




DL Series	D Bore Dia./Shape	E CL To End Of Hub	Lube Fitting Location	F Lube Fitting Distance To End Of Hub	Part Number
1000 Series A-2.312 B-0.938 C-1.500					
1000	0.875 Hexagonal	5.500	GAP	1.750	10-3162
1000	1.125 Hexagonal	5.500	GAP	1.750	10-0332

PTO SQUARE BORE - INSIDE LOCK-UP




DL Series	D Bore Dia./Shape	E CL To End Of Hub	F Lube Fitting Distance To End Of Hub	Lube Fitting Location	Part Number
1000 Series A-2.312 B-0.938 C-1.500					
1000	0.750 Square	5.500	1.750	GAP	10-0312
1000	0.750 Square	5.500	2.000	GAP	10-1758
1000	0.875 Square	5.500	1.750	GAP	10-0322
1000	1.000 Square	5.500	1.750	GAP	10-3122

PTO RECTANGULAR BORE - INSIDE LOCK-UP



DL Series	D Bore Dia./Shape	E CL To End Of Hub	Lube Fitting Location	F Lube Fitting Distance To End Of Hub	Part Number
1000 Series A-2.312 B-0.938 C-1.500					
1000	0.750 x 0.875 Rectangle	5.500	GAP	1.750	10-1769


PTO ROUND BORE - INSIDE LOCK-UP



DL Series	D Bore Dia./Shape	E CL To End Of Hub	F Lube Fitting Distance To End Of Hub	G Keyway Width	Keyway Location	Lube Fitting Location	Hole/ Thread Size	Part Number
1000 Series A-2.312 B-0.938 C-1.500								
1000	0.750 Round	5.500	1.750	0.188	GAP	GAP	***	10-0313
1000	0.812 Round	5.500	1.750	0.250	GAP	GAP	***	10-0323
1000	0.875 Round	5.500	1.750	0.250	GAP	GAP	***	10-0333
1000	0.938 Round	5.500	2.000	0.250	GAP	GAP	1-1/8 - 27	10-3203
1000	1.000 Round	5.500	1.750	0.250	GAP	GAP	***	10-0383
1000	1.125 Round	5.500	1.750	0.250	GAP	GAP	***	10-1767
1000	1.125 Round	5.500	1.750	0.312	GAP	GAP	***	10-3183


SLIP YOKE

PTO ROUND BORE - INSIDE LOCK-UP (Cont'd)




DL Series	D Bore Dia./ Shape	E CL To End Of Hub	F Lube Fitting Distance To End Of Hub	G Keyway Width	Keyway Loca- tion	Lube Fitting Location	Hole/ Thread Size	Part Number
1000 Series A-2.312 B-0.938 C-1.500								
1000	1.250 Round	5.500	1.750	0.312	GAP	GAP	***	10-3163
1000	1.250 Round	5.500	1.690	0.250	GAP	GAP	***	10-3173

SPLINED SLIP YOKE - INSIDE LOCK-UP



DL Series	Spline/Number Teeth	D CL To End Of Hub	Bore Size & Shape	E CL to Face of Washer	Joint Angle	Lube Fitting Part Number	Dust Cap	F Lube Fitting Distance To End Of Hub	Lube Fitting Location	Part Number
1000 Series A-2.312 B-0.938 C-1.500										
1000	1.125-10	5.500	1.125-10 Spline	***	***	***	***	1.750	GAP	10-0381
1000	1.125-10	5.500	1.125-10 Spline	***	***	***	***	3.500	GAP	11-1075
1000	1.250-6	5.500	1.250-6 Spline	***	***	***	***	2.000	GAP	10-1765


SPLINED SLIP YOKE - INSIDE LOCK-UP (Cont'd)



DL Series	Spline/Number Teeth	D CL To End Of Hub	Bore Size & Shape	E CL to Face of Washer	Joint Angle	Lube Fitting Part Number	Dust Cap	F Lube Fitting Distance To End Of Hub	Lube Fitting Location	Part Number
1000 Series A-2.312 B-0.938 C-1.500										
1000	1.250-16	5.499	1.250-16 Spline	***	***	***	***	1.594	GAP	10-0318
1000	1.250-16	6.281	1.250-16 Spline	***	***	***	***	2.375	EAR	10-0319
1200 Series A-2.562 B-1.063 C-1.812										
1200	1.375-16	5.250	1.375-16 Spline	***	***	***	***	3.380	***	12-2322
3R Series A-3.563 B-1.125 C-2.563										
3R	1.375-16	7.380	***	1.360	22.00	0641-B	280194	***	***	N3R-3-9170KX
3R	1.375-31/32	7.380	***	1.360	22.00	0641-B	ND3A	***	***	N3R-3-9165KX
7260 Series A-3.000 B-1.078 C-2.125										
7260	1.375-16	6.880	***	1.200	18.00	0641-B	280194	***	***	N2-3-7260KX
7290 Series A-3.563 B-1.126 C-2.625										
7290	1.375-16	6.620	***	1.000	15.00	0641-B	280194	***	***	N729-3-1631KX


SLIP YOKE

SPLINED SLIP YOKE - OUTSIDE LOCK-UP




DL Series	Spline/Number Teeth	C CL To Face Washer	D CL To End Of Spline	Joint Angle	Lube Fitting Part Number	Welch Plug	Dust Cap	Part Number
1210 Series A-2.56 B-1.063								
1210	1.250-14/16	1.270	6.400	20.000	0641-B	***	280196	N2-3-8861KX
1210	1.250-14/16	1.270	8.020	20.000	0641-B	***	280196	N2-3-8961KX
1310 Series A-3.469 B-1.063								
1310	1.250-16	1.430	6.560	30.000	0641-B	***	ND2K	N2-3-4441KX
1310	1.375-15 based on 16	1.050	6.020	15.000	0641-B	***	***	N2-3-10411KX
1310	1.375-16	1.530	2.410	30.000	0641-B	***	280194	N2-3-8021KX
1310	1.375-16	1.050	5.380	15.000	0641-B	***	280194	N2-3-128KX
1310	1.375-16	1.050	6.000	20.000	0641-B	***	280195	N2-3-4951KX
1310	1.375-16	1.050	6.000	20.000	0641-B	***	280194	N2-3-7981KX
1310	1.375-16	1.530	6.880	30.000	0641-B	***	280195	N2-3-5221KX
1310	1.375-16	1.530	6.880	30.000	0641-B	***	280194	N2-3-8001KX
1310	1.375-16	1.530	6.900	15.000	0641-B	***	***	N2-3-8002KX
1310	1.375-16	1.530	7.880	30.000	0641-B	***	280195	N2-3-5821KX
1310	1.375-31/32	1.480	6.620	15.000	0641-B	***	ND3A	N2-3-7171KX
1310	1.375-31/32	1.360	7.380	22.000	0641-B	***	ND3A	N2-3-9165KX
1310	1.500-16	1.530	6.880	30.000	0641-B	***	ND3A	N2-3-6061KX
1310	1.500-16	1.530	8.090	30.000	0641-B	***	ND3K	N2-3-6071KX
1330 Series A-3.875 B-1.063								
1330	1.375-15/16	1.090	6.620	15.000	0641-B	***	280194	N2-3-7681KX
1330	1.375-16	1.050	6.000	15.000	0641-B	***	280195	N2-3-4681KX
1330	1.375-16	1.050	6.000	15.000	0641-B	***	280194	N2-3-7961KX
1330	1.375-16	1.090	7.500	19.000	0641-B	***	280194	N2-3-8041KX
1330	1.375-16	1.780	8.440	35.000	0641-B	***	280195	N2-3-8051KX
1350 Series A-3.622 B-1.188								
1350	1.375-16	1.240	5.810	15.000	0641-B	***	280195	N3-3-1501KX
1350	1.375-16	1.240	7.310	20.000	0641-B	***	280195	N3-3-1502KX
1350	1.500-16	1.220	6.720	20.000	0641-B	***	ND3A	N3-3-1561KX

SPLINED SLIP YOKE - OUTSIDE LOCK-UP (Cont'd)




DL Series	Spline/Number Teeth	C CL To Face Washer	D CL To End Of Spline	Joint Angle	Lube Fitting Part Number	Welch Plug	Dust Cap	Part Number
1350HR Series A-3.622 B-1.188								
1350	1.375-15/16	1.220	6.810	20.000	0641-B	***	280194-1	N3-3-2701KX
1350	1.375-16	1.280	5.190	15.000	0641-B	***	280195	N3-3-758KX
1350	1.375-31/32	1.230	6.620	20.000	0641-B	***	ND3A	N3-3-2471KX
1350	1.500-16	1.240	5.810	20.000	0641-B	***	ND3A	N3-3-598KX
1350	1.500-16	1.240	7.310	20.000	0641-B	***	ND3A	N3-3-488KX
1350	1.500-16	1.780	8.440	35.000	0641-B	***	ND3K	N3-3-8081KX
1410 Series A-4.438 B-1.188								
1410	1.375-16	1.180	5.250	20.000	0641-B	***	280195	N3-3-788KX
1410	1.375-16	1.180	5.810	20.000	0641-B	***	280195	N3-3-1481KX
1410	1.376-31	***	7.540	***	***	***	***	N3-3-3811X
1410	1.500-16	1.180	5.250	20.000	0641-B	***	ND3K	N3-3-2041KX
1410	1.500-16	1.180	6.500	20.000	0641-B	***	ND3A	N3-3-118KX
1410	1.500-16	1.310	7.810	28.000	0641-B	***	ND3A	N3-3-508KX
1480 Series A-4.438 B-1.375								
1480	1.562-16	1.360	6.810	21.000	0641-B	***	ND3H	N3-3-1601KX
1480	1.562-16	2.000	9.500	35.000	0641-B	***	ND3H	N3-3-1641KX
1550HR Series A-4.965 B-1.375								
1550	1.750-16	1.880	6.880	22.000	0641-B	***	ND4J	N4-3-1241KX
1550	1.750-16	1.380	8.120	22.000	0641-B	***	ND4J	N4-3-1411KX
N90/N100								
N90/N100	1.965-29/30	8.870	9.682	***	***	N5-68-164	***	N100-3-41X
N90/N100	1.965-30	7.440	8.252	7.500	***	N5-68-164	***	N90-3-41X
N90/N100	1.965-30	9.290	10.102	7.500	***	N5-68-164	***	N90-3-21X

TRANSMISSION INSIDE LOCK-UP




DL Series	Spline/Number Teeth	D CL To End Of Spline	E CL To Face Washer	F Seal Dia.	Joint Angle	Spline Type	Part Number
3R Series A-3.563 B-1.125 C-2.563							
3R	1.172-26/27	5.469	***	1.500	***	Full Spline	N3R-3-12361X
3R	1.172-26/27	5.469	0.875	1.500	***	Full Spline	N3R-3-6081X
3R	1.172-26/27	6.750	***	1.500	***	Counter Bore	N3R-3-12051X
3R	1.172-26/27	6.750	***	1.500	***	Full Spline	N3R-3-1658X
3R	1.391-31/32	5.344	1.000	1.875	15.0	Full Spline	N3R-3-9762X
3R	1.391-31/32	7.500	1.000	1.875	15.0	Counter Bore	N3R-3-9131X
3R	1.391-31/32	7.500	1.000	1.875	15.0	Full Spline	N3R-3-9161X
3R	1.391-31/32	7.500	***	1.875	***	Full Spline	NT3R-3-9161HP
3R	1.391-31/32	8.062	1.359	1.875	22.0	Full Spline	N3R-3-9101X
7290 Series A-3.563 B-1.126 C-2.625							
7290	1.312-29/30	7.562	1.000	1.875	15.0	Counter Bore	N729-3-1932X

TRANSMISSION OUTSIDE LOCK-UP




DL Series	Spline/Number Teeth	D CL To End Of Spline	E CL To Face Washer	F Seal Dia.	Joint Angle	Spline Type	Part Number
1310 Series A-3.469 B-1.063							
1310	1.172-26/27	4.875	***	1.500	***	Full Spline	NT2-3-4911HP
1310	1.172-26/27	5.469	0.906	1.500	***	Full Spline	N2-3-6081X
1310	1.172-26/27	8.000	***	1.500	***	Full Spline	NT2-3-6081HP8XL
1310	1.219-27/28	6.000	***	1.500	***	Full Spline	NT2-3-4871HP
1310	1.219-27/28	6.031	1.047	1.500	20.0	Full Spline	N2-3-4871X
1310	1.219-27/28	6.500	***	1.500	***	Full Spline	NT2-3-8251HP
1310	1.219-27/28	6.531	1.000	1.500	15.0	Full Spline	N2-3-8251X
1310	1.312-29/30	8.062	1.359	1.688	22.0	Counter Bore	N2-3-3575X
1310	1.390-30/31	7.000	1.531	1.688	30.0	Full Spline	N2-3-15631X
1310	1.391-31/32	4.875	***	1.875	***	Full Spline	NT2-3-13131HP
1310	1.391-31/32	5.500	1.000	1.875	15.0	Counter Bore	N2-3-10431X
1310	1.391-31/32	7.500	1.000	1.875	15.0	Counter Bore	N2-3-9131X
1310	1.391-31/32	7.500	1.000	1.885	15.0	Full Spline	N2-3-9161X
1310	1.391-31/32	8.062	1.359	1.875	22.0	Full Spline	N2-3-9101X
1330 Series A-3.875 B-1.063							
1330	1.172-26/27	5.469	***	1.500	***	Full Spline	NT2-3-12081HP
1330	1.172-26/27	6.766	***	1.500	***	Counter Bore	NT2-3-12051HP
1330	1.219-27/28	5.906	***	1.500	***	Full Spline	NT2-3-5981HP
1330	1.219-27/28	5.969	1.047	1.500	15.0	Full Spline	N2-3-5981X
1330	1.219-27/28	6.625	***	1.600	***	Full Spline	NT2-3-14061HP
1330	1.219-27/28	6.656	1.047	1.594	15.0	Full Spline	N2-3-14061X
1330	1.378-31/32	6.766	***	1.875	***	Full Spline	NT2-3-10831HP
1330	1.390-30/31	6.000	***	1.680	***	Full Spline	NT2-3-6041HP
1330	1.390-30/31	6.031	1.047	1.688	15.0	Full Spline	N2-3-6041X
1330	1.390-30/31	7.031	1.094	1.875	19.0	Full Spline	N2-3-10201X

TRANSMISSION OUTSIDE LOCK-UP (Cont'd)



DL Series	Spline/Number Teeth	D CL To End Of Spline	E CL To Face Washer	F Seal Dia.	Joint Angle	Spline Type	Part Number
1350 Series A-3.875 B-1.188							
1350	1.172-26/27	5.469	***	1.500	***	Full Spline	NT3-3-6081HP
1350	1.172-26/27	5.938	1.188	1.500	20.0	Full Spline	N3-3-4271X
1350	1.172-26/27	6.938	1.188	1.500	***	Counter Bore	N3-3-4281X
1350	1.172-26/27	6.938	***	1.500	***	Counter Bore	NT3-3-4281HP
1350	1.219-27/28	6.500	***	1.500	***	Full Spline	NT3-3-8251HP
1350	1.219-27/28	6.625	***	1.594	***	Full Spline	NT3-3-14061HP
1350	1.219-27/28	6.750	1.172	1.594	20.0	Full Spline	N3-3-14061X
1350	1.375-31/32	5.500	1.234	1.875	15.0	Counter Bore	N3-3-2431X
1350	1.378-31/32	5.500	***	1.875	***	Counter Bore	NT3-3-2431CBHP
1350	1.378-31/32	5.500	***	1.875	***	Full Spline	NT3-3-2431HP
1350	1.378-31/32	6.938	1.312	1.891	***	Full Spline	N3-3-4261X
1350	1.378-31/32	6.938	***	1.875	***	Full Spline	NT3-3-5571HP
1350	1.378-31/32	7.875	1.312	1.891	***	Full Spline	N3-3-9467X
1350	1.378-31/32	7.938	***	1.875	***	Counter Bore	NT3-3-5551HP
1350	1.390-30/31	6.438	***	1.688	***	Full Spline	NT3-3-2491HP
1350	1.390-30/31	6.500	1.219	1.688	20.0	Full Spline	N3-3-2491X
1350	1.390-30/31	7.312	***	1.875	***	Full Spline	NT3-3-5431HP
1350	1.390-30/31	7.344	0.906	1.875	20.0	Full Spline	N3-3-5431X
1480 Series A-4.438 B-1.375							
1480	1.390-30/31	6.906	1.359	1.875	21.0	Full Spline	N3-3-6021X

BEARING PLATE CONSTRUCTION



DL Series	Spline/ Number Teeth	D CL to End of Spline	E CL To Face Washer	Joint Angle	Lube Fitting Part Number	Dust Cap	Part Number
1610 Series				A-5.321	B-1.875		
1610	2.000-16	8.880	2.690	35.0	0610-B	N5-86-68	N5-3-368KX
1610	2.000-16	9.310	3.190	30.0	0610-B	N5-86-68	N5-3-288KX
1610	2.000-16	10.810	3.190	35.0	0610-B	N5-86-68	N5-3-2261KX
1710 Series				A-6.094	B-1.938		
1710	2.500-16	9.590	1.720	22.0	0610-B	N6.3-86-18	N6-3-2671KX
1710	2.500-16	11.690	2.440	30.0	0610-B	N6.3-86-18	N6-3-2651KX
1710	2.500-16	12.720	3.110	45.0	0610-B	N6.3-86-18	N6-3-3441KX
1760 Series				A-7.000	B-1.938		
1760	2.500-16	9.250	2.920	30.0	0610-B	N6.3-86-18	N6.3-3-41KX
1760	2.500-16	11.160	2.470	30.0	0610-B	N6.3-86-18	N6.3-3-21KX
1810 Series				A-7.547	B-1.938		
1810	3.000-16	10.250	2.380	30.0	0610-B	N6.5-86-38	N6.5-3-1351KX
1810	3.000-16	11.880	2.380	30.0	0610-B	N6.5-86-38	N6.5-3-1371KX
20R Series				A-4.438	B-1.375		
20R	2.500-16	11.450	2.920	32.0	***	***	N20RLS40-2A1S
20R	2.500-16	11.450	2.920	32.0	***	***	N20RPL-SLIP
20R	2.500-16	12.050	3.520	44.0	***	***	N20RLS40-3A1S
25R Series				A-8.375	B-2.062		
25R	3.000-16	11.280	2.750	22.0	***	***	N25RLS48-1A1S
25R	3.000-16	11.280	2.750	22.0	***	***	N25RPL-SLIP