



THE DRIVELINE EXPERTS

Shafting/ Tubing/ Yoke & Tube Assembly

SUB SECTION

Aux/PTO Solid Shaft-Round
Aux/PTO Solid Shaft-Rectangular
Aux/PTO Solid Shaft-Square
Aux/PTO Solid Shaft-Hexagonal
Aux/PTO Solid Shaft-Spilned
Aux/PTO Shaft Tubing-Round
Aux/PTO Tubing-Rectangular

SECTION

6




**Manufacturing Driveline Solutions®
in the USA Since 1921.**

NeapcoAftermarket.com

©Neapco LLC 2025


TUBING / YOKE & TUBE

AUX/PTO SOLID SHAFT - ROUND




Size and Shape	Keyway Dimensions	Length	Part Number
0.750 Round	0.188	72.000	71-0750
0.812 Round	0.250	72.000	71-0813
0.875 Round	0.250	72.000	71-0875
1.000 Round	0.250	72.000	71-1000
1.250 Round	0.312	72.000	71-1250


AUX/PTO SOLID SHAFT - RECTANGULAR



Size and Shape	Length	Part Number
0.750 x 0.875 Rectangle	72.000	73-0750
1.000 x 1.125 Rectangle	72.000	73-1001

AUX/PTO SOLID SHAFT - SQUARE

Size and Shape	Length	Part Number
0.750 Square	72.000	72-0750
0.875 Square	72.000	72-0875
1.000 Square	72.000	72-1000
1.188 Square	72.000	73-1188
1.312 Square	72.000	73-1313

AUX/PTO SOLID SHAFT - HEXAGONAL


Size and Shape	Length	Part Number
0.875 Hexagonal	72.000	72-0888
1.000 Hexagonal	72.000	72-1002
1.125 Hexagonal	72.000	72-1125

TUBING / YOKE & TUBE

AUX/PTO SOLID SHAFT - SPLINED


Size and Shape	Length	Part Number
1.000-15 Involute Spline	26.400	74-0115
1.625-10 Spline	27.880	2231-3

AUX/PTO TUBING - ROUND




Tubing Type	Outside Dia.	Wall Thickness	Length	Shape	Part Number
Welded	1.620	0.065	72.000	Round	70-1625
Welded	2.000	0.083	72.000	Round	70-2000
Welded	2.120	0.120	72.000	Round	70-2125
Welded	2.250	0.120	72.000	Round	70-2250
Welded	2.500	0.134	72.000	Round	70-2500
Welded	2.750	0.109	72.000	Round	70-2750

AUX/PTO TUBING - RECTANGULAR



Outside Dia.	Wall Thickness	Length	Tubing Type	Part Number
1.000 x 1.125 Rectangle	0.125	72.000	Rectangular	70-1001
1.250 X 1.375 Rectangle	0.130	72.000	Rectangular	70-1250


DRIVESHAFT TUBING - STEEL



Tubing Type	A Outside Dia.	B Wall Thickness	C Length	Part Number
DOM	1.250	0.120	62.000	ND10-32-92-62
DOM	1.250	0.120	84.000	ND10-32-92-84
DOM	1.625	0.065	48.010	NOE-07-162-065-A
DOM	2.000	0.065	84.000	ND16-30-32-84
Welded	2.000	0.083	62.000	N16-30-62-62
DOM	2.000	0.083	62.000	ND16-30-62-62
Welded	2.000	0.083	84.000	N16-30-62-84
DOM	2.000	0.083	84.000	ND16-30-62-84
Welded	2.000	0.095	62.000	N16-30-42-62
Welded	2.000	0.095	84.000	N16-30-42-84
DOM	2.000	0.120	62.000	ND16-30-102-62
Welded	2.000	0.120	62.000	N16-30-102-62
DOM	2.000	0.120	84.000	ND16-30-102-84
Welded	2.000	0.120	84.000	N16-30-102-84
DOM	2.500	0.065	62.000	ND20-30-12-62


TUBING / YOKE & TUBE

DRIVESHAFT TUBING - STEEL (Cont'd)



Tubing Type	A Outside Dia.	B Wall Thickness	C Length	Part Number
DOM	2.500	0.065	84.000	ND20-30-12-84
Welded	2.500	0.083	62.000	N20-30-22-62
DOM	2.500	0.083	62.000	ND20-30-22-62
Welded	2.500	0.083	84.000	N20-30-22-84
DOM	2.500	0.083	84.000	ND20-30-22-84
DOM	2.500	0.095	84.000	ND20-30-52-84
DOM	2.500	0.120	62.000	ND20-30-62-62
DOM	2.750	0.065	62.000	ND22-30-12-62
DOM	2.750	0.065	84.000	ND22-30-12-84
Welded	2.750	0.083	62.000	N22-30-22-62
DOM	2.750	0.083	62.000	ND22-30-22-62
Welded	2.750	0.083	84.000	N22-30-22-84
DOM	2.750	0.083	84.000	ND22-30-22-84
DOM	3.000	0.065	62.000	ND24-30-32-62
DOM	3.000	0.065	84.000	ND24-30-32-84
Welded	3.000	0.083	62.000	N24-30-42-62
DOM	3.000	0.083	62.000	ND24-30-42-62
Welded	3.000	0.083	84.000	N24-30-42-84
DOM	3.000	0.083	84.000	ND24-30-42-84
Welded	3.000	0.095	62.000	N24-30-12-62
Welded	3.000	0.095	84.000	N24-30-12-84
Welded	3.250	0.065	62.000	N26-30-12-62
Welded	3.250	0.065	84.000	N26-30-12-84
DOM	3.500	0.065	62.000	ND28-30-42-62
DOM	3.500	0.065	84.000	ND28-30-42-84
Welded	3.500	0.083	62.000	N28-30-62-62
DOM	3.500	0.083	62.000	ND28-30-62-62
Welded	3.500	0.083	84.000	N28-30-62-84
DOM	3.500	0.083	84.000	ND28-30-62-84
Welded	3.500	0.095	62.000	N28-30-22-62
Welded	3.500	0.095	84.000	N28-30-22-84
Welded	3.500	0.134	62.000	N28-30-92-62
Welded	3.500	0.134	84.000	N28-30-92-84


DRIVESHAFT TUBING - STEEL (Cont'd)



Tubing Type	A Outside Dia.	B Wall Thickness	C Length	Part Number
Welded	3.500	0.156	62.000	N28-30-52-62
Welded	3.500	0.156	84.000	N28-30-52-84
DOM	4.000	0.065	72.000	TD-143
Welded	4.000	0.083	62.000	N32-30-22-62
DOM	4.000	0.083	62.000	ND32-30-22-62
Welded	4.000	0.083	84.000	N32-30-22-84
DOM	4.000	0.083	84.000	ND32-30-22-84
DOM	4.000	0.095	62.000	ND32-30-12-62
DOM	4.000	0.095	84.000	ND32-30-12-84
Welded	4.000	0.134	62.000	N32-30-52-62
Welded	4.000	0.134	84.000	N32-30-52-84
DOM	4.500	0.134	62.000	ND36-30-62-62
DOM	4.500	0.134	84.000	ND36-30-62-84
DOM	4.500	0.259	62.000	ND36-30-22-62
DOM	4.500	0.259	84.000	ND36-30-22-84
DOM	4.590	0.180	62.000	ND36-30-102-62
DOM	4.590	0.180	84.000	ND36-30-102-84
DOM	4.730	0.197	72.000	ND110-30-5-72
DOM	4.980	0.120	72.000	ND120-30-3-72
DOM	5.060	0.167	72.000	ND120-30-4-72
DOM	5.120	0.197	72.000	ND120-30-5-72
DOM	5.200	0.236	72.000	ND120-30-6-72

TUBING / YOKE & TUBE

YOKE & TUBE ASSEMBLY



DL Series	Dia. and Wall Thickness	D Center To End Of Tube	Part Number
1310 Series A-3.469 B-1.063			
1310	2.000 X 0.083	49.438	N2-27-7-4724
1310	2.500 X 0.083	62.375	N2-27-9-6017
1310	3.000 X 0.083	49.688	N2-27-24-4800
1310	3.000 X 0.083	61.688	N2-27-24-6000
1330 Series A-3.875 B-1.063			
1330	2.500 x 0.083	23.319	N2-27-25-5600
1330	3.000 X 0.083	61.719	N2-27-30-6000
1330	3.500 X 0.083	73.812	N2-27-35-7200
1350 Series A-3.875 B-1.188			
1350	3.000 X 0.083	66.000	N3-27-2-6400
1350	3.500 X 0.083	73.812	N3-27-7-7200
1410 Series A-4.438 B-1.188			
1410	3.000 X 0.083	65.031	N3-27-3-6229
1410	3.500 X 0.083	73.812	N3-27-4-7200
1480 Series A-4.438 B-1.375			
1480	3.500 X 0.083	63.344	N3-27-22-6110

PTO TUBING


Tube Type	Tube Profile/ shape	DL Series	Outside Dia.	Wall Thickness	Length	Part Number
B&P1						
Inner Profile	Benzi	B&P1	1.040	0.140	59.000	70-0105
Outer Profile	Benzi	B&P1	1.280	0.093	59.000	70-0104

PTO TUBING (Cont'd)

Tube Type	Tube Profile/ shape	DL Series	Outside Dia.	Wall Thickness	Length	Part Number
B&P2						
Inner Profile	Benzi	B&P2	1.140	0.156	59.000	70-0205
B&P3						
Outer Profile	Benzi	B&P3	1.420	0.125	59.000	70-0305
B&P4						
Inner Profile	Benzi	B&P4	1.420	0.171	59.000	70-0405
Outer Profile	Benzi	B&P4	1.700	0.125	59.000	70-0304
B&P5						
Outer Profile	Benzi	B&P5	2.010	0.109	59.000	70-0504
B&P6						
Inner Profile	Benzi	B&P6	1.760	0.156	59.000	70-0505
B&P7						
Inner Profile	Benzi	B&P7	1.750	0.218	59.000	70-0705
B&P8						
Outer Profile	Benzi	B&P8	2.100	0.156	59.000	70-0704
Outer Profile	Benzi	B&P8	2.500	0.156	59.000	70-0804
W2100						
Inner Profile	Lemon	W2100	0.920	0.140	59.000	70-2105
Outer Profile	Lemon	W2100	1.180	0.109	59.000	70-2104
W2400						
Inner Profile	Lemon	W2400	1.560	0.171	59.000	70-2405
Outer Profile	Lemon	W2400	1.890	0.156	59.000	70-2404
W2500						
Inner Profile	Star	W2500	2.000	***	59.000	70-2505
Outer Profile	Star	W2500	2.400	0.171	59.000	70-2504
WI						
Inner Profile	Lemon	WI	1.350	0.156	59.000	70-2205
Outer Profile	Lemon	WI	1.620	0.109	59.000	70-2204


TUBING / YOKE & TUBE

PTO YOKE AND U-JOINT ASSEMBLY



A Yoke 1 Bore Size & Shape	B Yoke 1 Keyway Width	C Yoke 1 Hub Dia.	D Yoke 1 CL To End Of Hub	E Yoke 2 Hub Dia.	F Yoke 2 CL To End Of Hub	G Yoke 2 Bore Size & Shape	Yoke 1 Set Screw Thread Size	Part Number
1000 Series U-Joint: 1-0170 A-2.312 B-0.938 C-1.500								
0.750 Round	0.251	***	2.500	***	2.500	0.750 Round	3/8-16 UNC 2B	11-2004
0.750 Round	0.188	***	2.500	***	2.500	0.750 Round	3/8-16 UNC 2B (2)	11-2005
0.750 Round	0.188	***	2.500	***	2.500	0.750 Round	3/8-16 UNC 2B	11-2018
0.750 Round	0.251	***	2.500	***	2.500	0.813 Round	3/8-16 UNC 2B	11-2049
0.750 Round	0.188	***	2.500	***	2.500	1.127 Hexagonal	3/8-16 UNC 2B	11-2033
0.813 Round	0.251	1.630	2.500	1.630	2.500	0.750 Square	3/8-16 UNC 2B	11-1619
0.813 Round	0.251	***	2.500	***	2.500	0.813 Round	3/8-16 UNC 2B	11-2003
0.813 Round	0.251	***	5.500	***	2.500	0.813 Round	Fitting	11-3002
0.875 Round	0.188	***	2.500	***	2.500	0.875 Round	3/8-16 UNC 2B	11-2002
0.875 Round	0.251	***	2.500	***	2.500	0.875 Round	3/8-16 UNC 2B	11-2016
0.875 Round	0.188, 0.251	***	2.500	***	2.500	0.875 Round	3/8-16 UNC 2B	11-3980
0.875 Round	0.251	***	2.500	***	2.500	1.000 Round	3/8-16 UNC 2B	11-2042
0.875 Round	0.251	***	5.500	***	2.500	0.875 Round	3/8-16 UNC 2B	11-3025
0.875 Square	***	***	2.500	***	2.500	1.000 Round	3/8-16 UNC 2B	11-1647
0.875 Square	***	***	2.500	***	2.500	1.000 Round	3/8-16 UNC 2B	11-1893
0.876 Round	***	1.630	2.500	1.630	2.500	0.876 Round	7/16-20 UNF	11-0002
0.879 Square	***	***	5.500	***	2.500	1.000 Round	Fitting	11-1881
0.938 Round	0.251	***	2.500	***	2.500	0.938 Round	3/8-16 UNC 2B	11-2006
1.000 Round	0.251	***	2.500	***	5.500	0.750 x 0.880 Rectangle	3/8-16 UNC 2B	11-3989
1.000 Round	0.251	1.630	2.500	1.630	2.500	1.000 Round	3/8-16 UNC 2B	11-1400
1.000 Round	***	***	2.500	***	2.500	1.000 Round	0.380 DT	11-1672
1.000 Round	0.251	***	2.500	***	2.500	1.000 Round	3/8-16 UNC 2B	11-2007
1.000 Round	0.188, 0.251	***	2.500	***	2.500	1.000 Round	3/8-16 UNC 2B	11-3985
1.000 Round	0.251	***	2.500	***	2.500	1.250 Round	3/8-16 UNC 2B	11-1623
1.000 Round	0.251	***	5.500	***	2.500	1.000 Round	Fitting	11-3018
1.000 Round	0.251	***	5.500	***	2.500	1.250 Round	Fitting	11-1751


PTO YOKE AND U-JOINT ASSEMBLY



H Yoke 2 Keyway Width	I Yoke 1 End Of Hub To Set Screw	J Yoke 2 End Of Hub To Set Screw	Yoke 1 Keyway Location	Yoke 1 Set Screw Location	Yoke 1 Set Screw Thread Size	Yoke 2 Keyway Location	Yoke 2 Set Screw Location	Yoke 2 Set Screw Thread Size	Part Number
1000 Series A-2.312 B-0.938 C-1.500									
0.251	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2004
0.188	0.500	0.500	Gap	Ear	3/8-16 UNC 2B (2)	Gap	Ear	3/8-16 UNC 2B (2)	11-2005
0.188	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2018
0.251	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2049
***	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	***	Gap	3/8-16 UNC 2B	11-2033
***	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	***	Gap	3/8-16 UNC 2B	11-1619
0.251	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2003
0.251	1.750	0.500	Gap	Gap	Fitting	Gap	Gap	3/8-16 UNC 2B	11-3002
0.188	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2002
0.251	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2016
0.188, 0.251	0.500	0.500	Gap	Ear	3/8-16 UNC 2B	Gap	Ear	3/8-16 UNC 2B	11-3980
0.251	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2042
0.251	1.750	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-3025
0.251	0.630	0.500	***	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-1647
0.250	0.630	0.500	***	Gap	3/8-16 UNC 2B	Gap	Ear	3/8-16 UNC 2B	11-1893
***	0.500	0.500	***	Ear	7/16-20 UNF	***	Ear	7/16-20 UNF	11-0002
0.250	1.750	0.500	***	Gap	Fitting	Gap	Ear	3/8-16 UNC 2B	11-1881
0.251	0.500	0.500	Ear	Ear	3/8-16 UNC 2B	Ear	Ear	3/8-16 UNC 2B	11-2006
***	0.500	1.000	Gap	Gap	3/8-16 UNC 2B	***	Gap	90 degree fitting	11-3989
0.251	0.500	0.500	Gap	Ear	3/8-16 UNC 2B	Gap	Ear	3/8-16 UNC 2B	11-1400
***	0.500	0.500	***	Ear	0.380 DT	***	Ear	0.380 DT	11-1672
0.251	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-2007
0.188, 0.251	0.500	0.500	Gap	Ear	3/8-16 UNC 2B	Gap	Ear	3/8-16 UNC 2B	11-3985
0.313	0.500	0.500	Gap	Gap	3/8-16 UNC 2B	Gap	Gap	3/8-16 UNC 2B	11-1623
0.251	1.750	0.500	Gap	Gap	Fitting	Gap	Gap	3/8-16 UNC 2B	11-3018
***	1.750	0.500	Gap	Gap	Fitting	***	Ear	0.380 DT	11-1751

TUBING / YOKE & TUBE

PTO YOKE AND U-JOINT ASSEMBLY (Cont'd)



A Yoke 1 Bore Size & Shape	B Yoke 1 Keyway Width	C Yoke 1 Hub Dia.	D Yoke 1 CL To End Of Hub	E Yoke 2 Hub Dia.	F Yoke 2 CL To End Of Hub	G Yoke 2 Bore Size & Shape	Yoke 1 Set Screw Thread Size	Part Number
1000 Series U-Joint: 1-0170 A-2.312 B-0.938 C-1.500								
1.125 Round	0.251	***	2.500	***	2.500	1.125 Round	3/8-16 UNC 2B	11-1609
1.125 Round	0.313	***	2.500	***	2.500	1.125 Round	3/8-16 UNC 2B	11-2009
1.125 Round	0.251, 0.313	***	2.500	***	2.500	1.125 Round	3/8-16 UNC 2B	11-3986
1.127 Hexagonal	***	***	2.500	***	2.500	1.000 Round	3/8-16 UNC 2B	11-2035
1.127 Hexagonal	***	***	2.500	***	2.500	1.125 Round	3/8-16 UNC 2B	11-1627
1.127 Hexagonal	***	***	2.500	***	2.500	1.250 Round	3/8-16 UNC 2B	11-2036
1.127 Hexagonal	***	***	2.500	***	1.560	Flange Yoke	3/8-16 UNC 2B	11-6832
1.129 Hexagonal	***	***	5.500	***	2.500	0.875 Round	3/8-16 UNC 2B	11-3065
1.129 Hexagonal	***	***	5.500	***	2.500	1.250 Round	3/8-16 UNC 2B	11-3009
1.129 Hexagonal	***	***	5.500	***	1.560	Flange Yoke	3/8-16 UNC 2B	11-6831
1.250 Round	0.313	***	2.500	***	2.500	1.250 Round	3/8-16 UNC 2B	11-2008
1.250 Round	0.251, 0.313	***	2.500	***	2.500	1.250 Round	3/8-16 UNC 2B	11-3990
1.250 Round	0.313	***	5.500	***	2.500	1.250 Round	Fitting	11-3092
1200 Series U-Joint: 1-1275 A-2.562 B-1.063 C-1.812								
0.750 Round	0.188	***	2.750	***	2.750	0.750 Round	3/8-16	13-8488
0.875 Round	0.251	***	2.750	***	2.750	0.876 Round	3/8-16	13-5995
1.000 Round	0.188	***	3.500	***	3.500	1.000 Round	3/8-16	13-6075
1.125 Round	0.251, 0.313	***	3.500	***	3.500	1.125 Round	3/8-16	13-6780
1.249 Square	n/a	***	2.750	***	2.750	1.249 Square	0.340 DT	13-8675
1.250 Round	***	***	2.630	***	2.750	1.000 Square	0.450 DT	13-6475
1.250 Round	0.251	***	2.750	***	2.750	1.250 Round	3/8-16	13-6201
1.250 Round	0.313	***	3.250	***	3.250	1.250 Round	3/8-16 BH	13-8868
1.438 Round	0.376	***	3.000	***	2.750	1.249 Square	3/8-16 UNC 2B (2)	13-9119
1.500 Round	0.376	***	2.750	***	2.750	1.500 Round	3/8-16 (2)	13-7080


Technical drawing of a Tee fitting. The drawing includes three views: a front view, a side view, and an end view. Dimensions are labeled as follows:

- A**: Outer diameter of the top flange.
- B**: Inner diameter of the top flange.
- C**: Thickness of the top flange.
- D**: Total length of the fitting.
- E**: Thickness of the bottom flange.
- F**: Length of the bottom flange.
- G**: Outer diameter of the bottom flange.
- H**: Inner diameter of the bottom flange.
- I**: Thickness of the top flange (repeated).
- J**: Thickness of the bottom flange (repeated).

6-13


TUBING / YOKE & TUBE

PTO YOKE AND TUBE ASSEMBLY



DL Series	C Tube Dia. & Wall Thickness	D CL To End Of Tube	Part Number
1000 Series A-2.312 B-0.938 C-1.500			
1000	0.750 x 0.875 Rectangle	24.000	65-0627
1000	0.750 x 0.875 Rectangle	36.000	65-0639
1000	0.750 x 0.875 Rectangle	48.000	65-0651
1000	1.000 x 1.125 Rectangle	24.000	64-0627
1000	1.000 x 1.125 Rectangle	36.000	64-0639
1000	1.000 x 1.125 Rectangle	48.000	64-0651
1200 Series A-2.562 B-1.063 C-1.812			
1200	1.000 x 1.125 Rectangle	24.000	65-2827
1200	1.000 x 1.125 Rectangle	36.000	65-2839
1200	1.000 x 1.125 Rectangle	47.900	65-2851
1200	1.280 x 1.410 Rectangle	24.000	64-2727
1200	1.280 x 1.410 Rectangle	36.000	64-2739
1200	1.280 x 1.410 Rectangle	48.000	64-2751
1800 Series B-1.00 C-2.34			
1800	1.000 x 1.125 Rectangle	24.000	65-1828
1800	1.000 x 1.125 Rectangle	36.000	65-1840
1800	1.000 x 1.125 Rectangle	48.000	65-1852
1800	1.300 x 1.420 Rectangle	24.000	64-1828
1800	1.300 x 1.420 Rectangle	36.000	64-1840
1800	1.300 x 1.420 Rectangle	48.000	64-1852
2000 Series A-2.625 B-1.125 C-1.85			
2000	1.000 x 1.125 Rectangle	23.600	65-2828
2000	1.000 x 1.125 Rectangle	24.760	64-2728
2000	1.000 x 1.125 Rectangle	35.750	65-2840
2000	1.000 x 1.125 Rectangle	36.570	64-2740
2000	1.000 x 1.125 Rectangle	48.570	64-2752

PTO YOKE AND TUBE ASSEMBLY (Cont'd)



DL Series	C Tube Dia. & Wall Thickness	D CL To End Of Tube	Part Number
2200 Series A-3.218 B-1.250 C-2.06			
2200	1.187 Square	24.620	64-2529
2200	1.187 Square	35.120	64-2539
2200	1.187 Square	47.120	64-2551
2200	1.187 X 1.187 Square	23.900	65-2629
2200	1.187 X 1.187 Square	33.900	65-2639
2600 Series B-1.37 C-2.81			
2600	1.312 Square	23.600	65-6629
2600	1.312 Square	24.000	64-6529
2600	1.312 Square	33.380	64-6539
2600	1.312 Square	34.250	65-6639
2600	1.312 Square	46.130	64-6551
N44 Series B-1.31 C-2.79			
N44	1.312 Square	22.900	65-4423
N44	1.312 Square	24.130	64-4424
N44	1.312 Square	34.630	64-4435
N44	1.312 Square	35.400	65-4435
N44	1.312 Square	46.070	64-4447