



THE DRIVELINE EXPERTS

Stub Shaft

SUB SECTION

C.V. Flange Stub

Splined Mid-Ship - Outboard Slip Yokes

Mid-Ship Cap Screw & Shaft Nut Type

Slip Stub Shaft

PTO Stub Shaft

SECTION

7




**Manufacturing Driveline Solutions®
in the USA Since 1921.**

NeapcoAftermarket.com

©Neapco LLC 2025


STUB SHAFT

CV FLANGE STUB




DL Series	Spline/Number Teeth	A Bolt Circle	B Hole/Thread Size	Number Of Bolt Holes	C Pilot Dia.	D Flange Face To End	Part Number
1310 Series		A-3.469 B-1.063					
1310	1.375-32	3.000	0.375	4	2.000-M	6.375	N2-81-1181

SPLINED MID-SHIP - OUTBOARD SLIP YOKES



Spline/Number Teeth	A Bearing Dia.	Tubing Dia. And Wall	B Length Of Spline	C End Of Spline To Point Of Weld	D Butt Dia.	E End Of Spline To Brg. Shoulder	F Shoulder Dia.	G Length Of Shoulder	Part Number
1.375-16	***	1.620 X 0.205	2.500	9.000	1.219	7.469	***	***	N2-53-9170-5
1.375-31/32	1.380	1.620 X 0.205	3.375	9.000	1.219	7.469	1.630	***	N3-53-1181-5
1.375-16	1.378	2.500 X 0.083	5.406	8.000	2.344	6.938	1.688	0.812	N2-53-471
1.375-16	1.378	2.500 X 0.083	4.969	8.094	2.344	6.750	1.719	1.125	N3-53-1351
1.375-31/32	1.378	2.750 X 0.065	3.375	8.812	2.625	7.469	1.719	1.125	N3-53-1181-2
1.375-16	***	2.750 X 0.065	2.500	8.844	2.625	***	***	***	N2-53-9170-2
1.375-31/32	1.378	2.750 X 0.095	3.375	8.812	2.578	7.469	1.719	1.125	N3-53-1181-1
1.375-16	1.378	3.000 X 0.065	5.406	8.000	2.875	6.938	1.688	0.812	N2-53-491
1.375-15/16	1.378	3.000 X 0.065	2.500	8.844	2.875	7.781	1.688	0.812	N2-53-691
1.375-16	1.378	3.000 X 0.083	4.438	7.031	2.844	5.969	1.688	0.812	N3-53-1371
1.375-16	1.355	3.000 x 0.083	4.438	7.031	2.844	5.590	1.772	1.190	N3-53-1372


SPLINED MID-SHIP - OUTBOARD SLIP YOKES (Cont'd)



Spline/Number Teeth	A Bearing Dia.	Tubing Dia. And Wall	B Length Of Spline	C End Of Spline To Point Of Weld	D Butt Dia.	E End Of Spline To Brg- Shoulder	F Shoulder Dia.	G Length Of Shoulder	Part Number
1.500-16	1.575	3.000 X 0.083	4.438	7.062	2.844	5.938	1.812	0.875	N3-53-1031
1.375-16	1.378	3.000 X 0.083	5.406	8.000	2.844	6.938	1.688	0.812	N2-53-501
1.375-16	1.378	3.000 X 0.083	4.969	8.094	2.844	6.750	1.719	1.125	N3-53-1361
1.375-31/32	1.378	3.000 X 0.083	3.375	8.812	2.844	7.469	1.719	1.125	N3-53-1181
1.375-15/16	1.378	3.000 X 0.083	2.500	8.844	2.844	7.781	1.688	0.812	N2-53-711
1.562-16	1.575	3.500 X 0.083	5.938	8.531	3.344	7.469	1.938	0.812	N3-53-451
1.750-16	1.772	3.500 X 0.095	5.938	8.562	3.312	7.469	2.188	0.812	N4-53-61


STUB SHAFT

MID-SHIP - CAP SCREW & SHAFT NUT TYPE



Spline/Number Teeth	A Bearing Dia.	Tubing Dia. And Wall	B Length Of Spline	C End Of Spline To Point Of Weld	D Thread Size	E Butt Dia.	F End Of Spline To Brg. Shoulder	G Shoulder Dia.	H Length Of Shoulder	Driveshaft Nut	Part Number
1.375-10	1.378	2.500 X 0.083	1.750	3.750	1.000-20-M UNF	2.344	2.688	1.688	0.812	***	N2-53-1191
1.500-10	1.575	3.000 X 0.083	1.938	3.875	1.000-20-M UNEF	2.844	2.750	1.812	0.875	***	N3-53-1781
1.375-10	1.378	3.000 X 0.083	1.688	4.000	1.000-20-M UNEF	2.844	2.656	1.719	1.125	***	N3-54-611
1.500-10	1.575	3.500 X 0.083	1.812	3.875	0.750-16-F UNF	3.344	2.750	1.812	0.875	***	N3-53-1081
1.500-10	1.575	3.500 X 0.083	1.938	3.875	1.000-20-M UNEF	3.344	2.750	1.812	0.875	***	N3-53-1791
1.500-10	1.575	3.500 X 0.083	1.875	4.031	0.750-16-F UNF	3.344	2.969	1.938	0.812	***	N3-53-431
1.500-10	1.575	3.500 X 0.095	1.875	4.031	0.750-16-F UNF	3.312	2.969	1.938	0.812	***	N4-53-71
1.750-10	1.772	3.500 X 0.134	2.094	4.344	1.250-18-M UNEF	3.250	3.250	2.188	0.812	***	N5-53-141
1.750-34	1.772	4.000 X 0.134	2.156	4.219	1.250-18-M UNEF	3.742	3.125	2.188	0.812	***	N5-53-271
1.750-10	1.772	4.000 X 0.134	2.281	4.344	1.250-18-M UNEF	3.734	3.250	2.188	0.812	***	N5-53-191
1.950-38	1.968	4.000 X 0.134	2.844	5.156	1.250-18-M UNEF	3.750	4.000	2.438	0.812	***	N6-53-411
1.953-10	1.968	4.000 X 0.134	2.875	5.156	1.250-18-M UNEF	3.750	4.000	2.438	0.812	***	N6-53-201
2.349-16	2.362	4.000 X 0.134	2.625	5.312	1.250-18-M UNEF	3.750	4.000	2.875	0.812	***	N6-53-311
1.953-10	1.968	4.000 X 0.134	2.875	5.562	1.250-18-M UNEF	3.750	4.000	2.438	0.812	***	N6-53-201-1
2.350-46	2.362	4.095 X 0.180	2.719	5.312	1.250-18-M UNEF	3.750	4.000	2.875	0.812	***	N6.3-53-21
1.953-10	1.968	4.500 X 0.134	2.875	5.156	1.250-18-M UNEF	4.250	4.000	2.438	0.812	***	N6-53-241
2.349-16	2.362	4.500 X 0.134	2.625	5.312	1.250-18-M UNEF	4.250	4.000	2.875	0.812	***	N6.5-53-91
2.350-46	2.362	4.500 X 0.259	2.719	5.312	1.250-18-M UNEF	4.000	4.000	2.875	0.812	***	N6.5-53-181
2.349-16	2.362	4.500 X 0.259	2.750	5.438	1.250-18-M UNEF	4.000	4.000	2.875	0.812	***	N6.5-53-51
2.350-46	2.362	4.590 X 0.180	2.719	5.312	1.250-18-M UNEF	4.250	4.000	2.875	0.812	***	N6.5-53-171
2.350-46	2.362	5.196 X 0.236	2.719	5.312	1.250-18-M UNEF	4.750	4.000	2.875	0.812	N20-74-91	N250-53-11
N90/N100											
1.750-34	1.772	4.000 X 0.095	2.210	4.3640	1.25-18	3.822	3.200	2.160	***	***	N100-53-31
1.931-30	1.725	4.000 X 0.095	4.000	10.040	***	3.822	7.190	1.968	1.760	***	N90-53-21
1.931-29/30	1.729	4.000 X 0.095	4.000	10.710	***	3.822	7.700	1.968	1.870	***	N100-53-21


SLIP STUB SHAFT



Spline/Number Teeth	Tubing Dia. And Wall	B Length Of Spline	C End Of Spline To Weld	E Butt Dia.	F End Of Spline To Radius	Part Number
1.375-16	***	2.500	24-OAL	1.250	***	N2-40-138-2
1.250-16	1.250 X 0.120	2.000	6.125	1.031	5.375	N2-40-1771
1.250-16	2.000 X 0.083	2.000	4.750	1.844	4.188	N2-40-971-2
1.375-16	2.000 X 0.083	2.250	5.188	1.844	4.625	N2-40-1031
1.250-16	2.000 X 0.083	2.000	6.000	1.844	5.406	N2-40-1741
1.375-16	2.000 X 0.083	2.250	6.688	1.844	6.125	N2-40-1841-1
1.250-16	2.000 X 0.120	2.000	6.000	1.766	5.406	N2-40-2381
1.375-16	2.000 X 0.120	2.250	6.188	1.766	5.625	N2-40-1701
1.375-16	2.000 X 0.120	2.250	6.688	1.766	6.125	N2-40-1701-1
1.375-16	2.000 X 0.120	6.250	7.750	1.766	7.250	N2-40-1701-2
1.500-16	2.000 X 0.120	6.531	8.766	1.766	7.766	N3-40-2012
1.375-16	2.500 X 0.065	2.250	4.030	2.378	***	N2-40-1251
1.250-16	2.500 X 0.065	2.000	6.125	2.375	5.406	N2-40-2211
1.375-16	2.500 X 0.065	2.250	6.344	2.375	5.625	N2-40-1811
1.375-16	2.500 X 0.065	2.250	6.844	2.375	6.125	N2-40-1291
1.250-16	2.500 X 0.065	2.500	7.562	2.375	6.844	N2-40-2301
1.500-16	2.500 X 0.083	2.500	5.625	2.344	4.969	N3-40-1471
1.375-16	2.500 X 0.083	2.250	6.344	2.344	5.625	N2-40-1711BP
1.375-16	2.500 X 0.083	2.250	6.344	2.344	5.625	N2-40-1711
1.375-16	2.500 X 0.083	2.250	7.531	2.344	6.812	N2-40-1851BP
1.375-16	2.500 X 0.083	2.250	7.531	2.344	6.812	N2-40-1851
1.500-16	2.500 X 0.083	6.531	8.766	2.344	7.766	N3-40-2508
1.375-16	2.500 X 0.095	2.250	7.531	2.312	6.812	N2-40-1951
1.375-16	2.500 X 0.095	3.375	8.125	2.312	7.250	N2-40-2791-1
1.500-16	2.500 X 0.095	6.531	8.766	2.312	7.766	N3-40-2509
1.500-16	2.500 X 0.120	6.531	8.766	2.266	7.766	N3-40-2512


STUB SHAFT

SLIP STUB SHAFT (Cont'd)



Spline/Number Teeth	Tubing Dia. And Wall	B Length Of Spline	C End Of Spline To Weld	E Butt Dia.	F End Of Spline To Radius	Part Number
1.375-16	2.750 X 0.065	2.250	6.438	2.625	5.625	N2-40-1221-1
1.500-16	2.750 X 0.083	2.500	7.250	2.594	6.438	N3-40-1222
1.375-15	2.750 x 0.095	2.500	6.340	2.568	***	N2-53-711-2
1.375-16	3.000 X 0.065	2.250	6.438	2.875	5.625	N2-40-1221
1.375-16	3.000 X 0.065	2.250	7.625	2.880	6.812	N2-40-2051
1.500-16	3.000 X 0.083	2.500	5.938	2.844	5.125	N3-40-1101
1.375-16	3.000 X 0.083	2.250	6.438	2.844	5.625	N2-40-1521
1.375-16	3.000 X 0.083	6.781	6.641	2.844	7.828	N2-40-1871
1.500-16	3.000 X 0.083	2.500	7.250	2.844	6.438	N3-40-1611
1.375-16	3.000 X 0.083	2.250	7.625	2.844	6.812	N2-40-2231
1.500-16	3.000 X 0.083	6.531	8.766	2.844	7.766	N3-40-3008
1.375-16	3.500 X 0.065	2.250	6.562	3.375	5.562	N2-40-1231
1.500-16	3.500 X 0.083	3.000	6.562	3.344	5.625	N3-40-1531
1.375-16	3.500 X 0.083	2.250	6.625	3.344	5.625	N2-40-1531
1.563-16	3.500 X 0.083	3.000	6.750	3.344	5.812	N3-40-1571
1.500-16	3.500 X 0.083	2.500	7.344	3.344	6.406	N3-40-1561
1.500-16	3.500 X 0.083	3.000	7.531	3.344	6.594	N3-40-1491
1.563-16	3.500 X 0.083	4.500	8.750	3.344	7.812	N3-40-1391
1.500-16	3.500 X 0.083	6.531	8.766	3.344	7.766	N3-40-3508
1.375-16	3.500 X 0.083	6.969	8.969	3.344	7.969	N2-40-2091
1.500-16	3.500 X 0.095	3.000	***	3.312	6.594	N3-40-1492
1.750-16	3.500 X 0.095	3.000	6.781	3.312	5.812	N4-40-761
1.750-16	3.500 X 0.095	3.000	9.219	3.312	8.250	N4-40-721
2.000-16	3.500 X 0.095	3.500	9.562	3.312	8.656	N5-40-501
2.000-16	3.500 X 0.134	3.500	7.562	3.250	6.562	N5-40-1191
2.000-16	3.500 X 0.134	3.500	9.688	3.250	8.781	N5-40-1011
2.000-16	3.500 X 0.134	3.500	10.188	3.250	9.281	N5-40-1041


SLIP STUB SHAFT (Cont'd)



Spline/Number Teeth	Tubing Dia. And Wall	B Length Of Spline	C End Of Spline To Weld	E Butt Dia.	F End Of Spline To Radius	Part Number
2.500-16	3.500 X 0.156	4.000	9.250	3.188	8.375	N6-40-741
2.500-16	4.000 X 0.134	4.000	9.250	3.750	8.250	N6-40-541
2.000-16	4.000 X 0.134	3.500	9.844	3.750	8.780	N5-40-1051
2.500-16	4.000 X 0.134	4.000	10.562	3.750	9.562	N6-40-521
2.500-16	4.095 X 0.180	4.703	9.922	3.750	0.500	NPS40-16-61
3.000-16	4.500 X 0.134	4.500	9.469	4.234	8.406	N6.5-40-201
2.500-16	4.500 X 0.134	4.000	9.500	4.234	8.312	N6-40-631
2.500-16	4.500 X 0.134	4.000	10.656	4.234	9.469	N6-40-621
3.000-16	4.500 X 0.134	4.500	11.250	4.234	10.031	N6.5-40-191
3.000-16	4.500 X 0.259	4.500	11.531	4.000	10.250	N8-40-101
3.000-16	4.590 X 0.180	4.703	10.125	4.250	***	NPS48-16-38
N90/N100						
1.931-29/30	4.000 X 0.095	4.000	9.650	3.822	7.730	N100-40-41X
1.931-30	4.000 X 0.134	4.040	10.160	3.744	8.980	N90-40-11

STUB SHAFT

PTO STUB SHAFT



Spline/Number Teeth	Tubing Dia. And Wall	A Length Of Spline	B End Of Spline To Weld	C Butt Dia.	D End Of Spline To Radius	Part Number
1.125-10	***	2.000	2.500	1.060	2.250	51-0175
1.250-6B	2.000 X 0.083	1.750	2.750	1.842	3.000	53-2047
1.125-10	2.000 X 0.083	2.000	4.625	1.844	4.062	11-1753
***	2.000 X 0.083	***	5.130	1.840	***	10-0699
1.375-6B	2.250 X 0.120	1.750	2.750	2.000	3.000	53-2247